



Mounting System Certification

⚠️ **Version :** 8.4
⚠️ **État :** Archivée et visible par les utilisateurs autorisés.

TCL SUNPOWER PRODUCT CERTIFICATIONS

For questions, please contact:
Joann.Factoriza@maxeon.com
dominik.kolter@sunpowerglobal.com

			MAX					P-Ser					P7-Ser					T class			E Class			M Class		
BRAND	MODEL	Report (valid until)	MAX3 (WHT/BLK)	MAX3 COM	MAX6 (WHT/BLK)	MAX6 COM	MAX7 (WHT/BLK)	P3 COM	P5 UPP- E	P6 COM- M-BF	P6 COM- S-BF	P6 COM- XS	P6 BLK	P7 COM- S	P7 BLK	P7 BLK -1500	P7 BLK-P	HSM- ND48- GR	HSM- ND54- GR	HSM- BD60- GA	HSM- BD54- DA	HSM- BD60- DA	HSM- BD72- GC	SPR- BE54- DC	SPR- BE54- WC	SPR- BD72- GC
ETN-ADIWATT	Optima																	Ongoing								
	Profil Evolution																	Ongoing								
ETN-BAYWA	NOVOTEGRA - Minirail	22-Aug-26	370-400/415- 430 410-420-BLK		420-440-Ex-AC 410-425-BLK-Ex-AC							420-440	375/395-415	530-550	428/435-450		Ongoing Expected on Jan-25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25						
	NOVOTEGRA – TOIT PLAT	14-Feb-25	370/390/400 415-430	370/390/400													Ongoing Expected on Jan-25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25						
	NOVOTEGRA – TOIT PLAT TPO SOLAR	18-Dec-25	370-400 415-430	370-400								400-420	375	5C0	428/435-450		Ongoing Expected on Jan-25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25						
	NOVOTEGRA – TOP FIX grands éléments	7-Sept-24	390-400 355/375-BLK	370/390/400	420-440-E3-AC 410-425-BLK-E3-AC				535- 560			400-420	395-415	530-550	428/435-450		Ongoing Expected on Jan-25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25						
	NOVOTEGRA – TOP FIX Tuiles/Ardoises Petits éléments	7-Sept-24	370-400 355/375-BLK	370-400	420-440-E3-AC 410-425-BLK-E3-AC					535-560	485-510	400-420	375/395-415 375/405-410-E8- AC	530-550	428/435-450		Ongoing Expected on Jan25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25						
ETN-DOME SOLAR	KOGYSUN + i +	10-Mar-25		370-400								400-420	395-415 375/405-410-E8- AC													
	HELIOS B2	25-Aug-26	415-430	370/390					535- 560		490-510	400-420	375/395-415, 375/405-410-E8- AC	Ongoing Expected on Mar-25			Ongoing Expected on Mar-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	HELIOS RC3	28-Feb-26	355/375/370-400 355/375-BLK	370-400					535- 560		485-510	400-420	375/395-415	Ongoing Expected on Mar-25			Ongoing Expected Mar- 25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	ITAL SOLAR	20-June-27	415/425-430	370-390								400-420	375/395-415	530-550	428/435-450			Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	ROOF SOLAR	20-July-26		370-390								400-420	375/395-415	530-550	428/435-450			Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
ETN-EDILIANS SOLAIRE	EASY ROOF METAL	2-Sept-24	390- 400/415/425/430 355/375-BLK	370/390/400								400-420	395-415													
	EASY ROOF FLAT	05-Feb-24	370-400	370-400	420-440 410-425-BLK	450-475		405-420				400-420	395-415													
ETN-EPC	Inova PV LITE	20-Jan-25	390-400	370/390/400				370-390				400-420	375/395-415					Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						

	<i>INovar</i>												Ongoing Expected on May-25			Ongoing Expected on May-25										
ETN- ESDEC/ENSTALL	<i>CLICKFIT EVO</i>	21-Oct-25	370-400 415-430 355-375-BLK	370-400	420-440/445-E3/E4- AC 410-425/435-BLK- E3/E4-AC	450-475	475-500 465-475 445-465-BLK	400-415	535- 550		485-510	400-420	375/395-415 375/405-415- E8/E9-AC	530-550	428/430-450		495-510	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>FLATFIX FUSION</i>	2-Jul-26		370-400	420-440-E3-AC 410-425/435-BLK- E3/E4-AC	450-475	475-500 465-475 445-465-BLK	405-420			485-510			530-550	428/430-450		495-510	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>FLATFIX WAVE</i>	5-Aug-27	415/425-430	370/390/400	420-440/445-E3/E4- AC 410-425/435-BLK- E3/E4-AC	450-475	475-500 465-475 445-465-BLK	405-420	535- 550		485-510	400-420	375/395-415 375/405-415- E8/E9-AC	530-550	428/430-450		495-510	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>SUNFARE F20</i>																Ongoing Expected on Jun-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>SUNFARE F30</i>																Ongoing Expected on Jun-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>SUNFARE F44</i>																Ongoing Expected on Jun-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
ETN-GENELIOS	G PARK																Ongoing									
ETN-GSE	<i>IN-ROOF</i>	12-Apr-24	370-400																							
ETN-JORIS	<i>OPTI ROOF</i>	8-Jul-27	370/390-400 355/375-BLK	370-400	420-435-E4-AC				535- 560		485-510	400-420	375/395-415	530-550	428/440-455	428/440-455	495-510	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>JORISOLAR RS- EVO</i>	29-Apr-26	370-400 355/375-BLK		420-435-E4-AC				535- 560		485-510	400-420	375/395-415	530-550	428/440-455	428/440-455	495-510	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>JORISOLAR RS- PARK</i>	17-May-25	370/390-400 355/375-BLK	370-400	420-435-E4-AC				535- 560	535-560	485-510	400-420	375/395-415	530-550	428/440-455	428/440-455	495-510 Valid until 8-Jul-27	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	<i>JORISOLAR RS-R</i>	26-Feb-25	370/390-400 355/375-BLK	370-400	420-435-E4-AC				535- 560		485-510	400-420	375/395-415	530-550	428/440-455	428/440-455	495-510 Valid until 8-Jul-27	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
ETN-K2 SYSTEM	<i>DOME 6</i>	4-Jul-25	390-400 415/425/430											530-550	428/440-455		Ongoing Expected on Jun-25	Short side forbiden	Short side forbiden	Short side forbiden						
	<i>MINIRAIL</i>	14-Jun-24	390-400 355/375-BLK	370/390/400													Ongoing Expected on Jun-25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25						
	<i>SINGLERAIL- SOLIDRAIL</i>	6-Oct-27	370/390- 400/415-430 355/375-BLK	370/390/400	420-440/410-425- BLK 410-425-BLK-E3-AC				535- 560	535-550		400-420	375/395-415 375/405-410-E9- AC	530-550	428/435-450		495-510	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25	Ongoing Expected on Aug- 25						
ETN-PMT	<i>EVO 2.0</i>	16-Aug-24									485-510	400-420	395-415													
ETN-RENU SOL	<i>MS+, MS+H, MS+P</i>	31-Aug-27		390-400	420-445-E4-AC			405-420					395-415/405-415- E9-AC	535-555			495-510									
	<i>VS+-PETITS ELEMENTS</i>	20-Mar-25		390-400	420-445-E4-AC								395-415/405-415- E9-AC	535-555			495-510									
	<i>VS+ PETIT ELEMENTS CROCHETS INDICE</i>	04-Mar-27			420-445-E4-AC 410-425-BLK-E4-AC								375/395-415 375/405-415-E9- AC	535-555			495-510									
	<i>VS+ GRAND ELEMENTS</i>	20-Jun-25												535-555			495-510									
	FS PRO	12-Feb-27	390-400		420-445-E4-AC 410-425-BLK-E4-AC								375/395-415 375/405-415-E9- AC				495-510									

ETN-SCHLETTER	CROCHETS RAPID2+-RAPID SLATE-PROLINE	17-Feb-26	370/390- 400/415-430 355/375-BLK		420-440-E3-AC 410-425-BLK-E3-AC		455-500/ 455- 465-BLK					400-420	375/395-415	535-555	428/440- 455	428/440-455	Ongoing Expected on Jun-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	ADAPTATEUR UNIVERSEL	17-Feb-28	370/390-400 355/375-BLK	370/390-400	420-440-E3-AC 410-425-BLK-E3-AC		455-500/ 455- 465-BLK					400-420	375/395-415	535-555	428/440-455	428/440-455	495-510									
	FIXGRID TOIT PLAT	10-Feb-27					455-500/ 455-465-BLK							535-555			495-510									
	CLAMP FIT	1-Jun-26					455-500/ 455-465-BLK							535-555			495-510	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
	SINGLE FIX	20-Sep-26					455-500/ 455- 465-BLK							535-555			495-510	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25	Ongoing Expected on Jul-25						
ETN-Enstall	WAVE DUAL or SINGLE	5-Aug-27	415-430	370-400	420-440-AC 410- 425-BLK-E3-AC 420-445-E4- AC 410-435-BLK- E4-AC	450-475			535- 550	N/A	485-510	400-420	375/395-415 375/405-415-BLK- E8-AC 375/405- 415-BLK-E9-AC	530-550	428/430- 550											
ATEC-GSE INTEGRATION	TOIT SOLAIRE EVO	30-Sept-26										400-420	375/395-415													
ATEC- SOPRASOLAR	FIX EVO TILT	31-May-24	390-400/375-BLK	390-400																						
AVASCO	SOLAR SPEED													Ongoing Expected on April 25		Ongoing Expected on April-25	Ongoing Expected on Jun-25									

Updated last: January 15, 2025